BACHELOR OF COMPUTER APPLICATION Examination BCA Semester - 2 JUNE 2024 (NEP) JUNE - 2024 CS-08: DATA STRUCTURE USING C LANGUAGE Faculty Code: 003 Subject Code : 23SI-BCAP-MA-02-03001 15 Time : 2 Hours] [Total Marks : 50 Q.1 (A) Fill in the Blanks: 3 (1) ______ and _____ are two main measures of the efficiency of an algorithm. (2) The function in C programming language is used to deallocate memory. (3) Malloc function returns _____. What is Big-Oh notation? Provide a brief explanation. Compare and contrast Big-Oh and Big-Omega notations in algorithm analysis OR Fill in the Blanks: (1) ______ function is used to open a file in C. (2) ______ is the return type of the fopen() function in C. (3) _____ function is used to close a file in C. Explain the purpose of the fopen() function in file handling. Q.1 (B) What is Big-Oh notation? Provide a brief explanation. 2 5 O.1C3 Q.1 (B) 2 Explain the purpose of the fopen() function in file handling. Q.1 (C) How does feof() function work in file handling? Give an example. 5 Fill in the blanks: 3 Q.2 (A) (1) The time complexity of Bubble Sort is _____. (2) sorting algorithm is based on the idea of repeatedly dividing S Ć the list into smaller sublists and then sorting those sublists. LC (3) In Sort, elements are compared and swapped in one direction. Explain the basic principle behind Bubble Sort and its time complexity. 2 Q.2 (B) Q.2(C)Discuss the advantages and disadvantages of using Quick Sort over Merge Sort 5 forsorting large datasets. OR 0.2 (A) Fill in the blanks: 3 (1) Binary Search can only be applied to a list. searching technique checks each element in the list one by (2)one until the desired element is found. (3) The time complexity of Binary Search is _____. Describe the process of Binary Search. Also, mention its time complexity. 2 Q.2 (B) Q.2 (C) Differentiate between Index Searching and Sequential Searching. When is 5 eachmethod preferred?

Q.3 (A)	Fill in the blanks:	3
	(1) The data structure used to evaluate postfix expressions is called	
	(2) In the context of data structures, the acronym FIFO stands for	
	(3) The process of removing an element from a stack is commonly referred to	
O.3 (B)	Differentiate stack and queue.	2
$O_3(C)$	Write a note on the circular queue	5
	OR A	5
	$\mathbf{C} \qquad \mathbf{C} \qquad \mathbf{C}$	2
Q.3 (A)	(1) The primary purpose of a deque is to allow insertion and deletion from	3
01	both	
1	(2) The function used to insert an element into a queue is called	
M	(3) Recursion in data structures can be implemented using	
Q.3(B)	Write down applications of stack and queue.	2
Q.3 (C)	Write a note on deque.	5
		•
Q.4 (A)	Fill in the blanks: (1) In a singly linked list, each node contains a reference to the node in	3
	the sequence.	
24	(2) Traversing the entire linked list involves starting from the node and	
02	moving to each subsequent node unfil reaching the end.	
26	(3) To insert a node after a specified node in a singly linked list, you need to update the reference of the preceding node	
	Differentiate Singly and Doubly Linked List	2
Q.+(D)	Write an algorithm to insert new rode in the beginning of the singly linked list	2 5
$\sum_{i=1}^{i}$	\sim OR \sim	5
	A A A A A A A A A A A A A A A A A A A	2
Q.4 (A)	(1) In a doubly linked list, each node contains references to both the	3
	and nodes.	
	(2) $\overline{\text{Circular linked lists are characterized by the last node pointing back to}$	
~+	the node, creating a loop.	
22	(3) Traversing a header linked list involves starting from the node and moving to each subsequent node until reaching the end.	
$O 4 \mathcal{P} B$	Write down applications of the linked list	2
0.4(C)	Write an algorithm to delete last node from singly linked list	5
Q.((C)		5
Q.5 (A)	Fill in the blanks: 5	3
Š	(1) A binary tree is a tree in which each node has at most children.	
A	(2) The process of visiting all the nodes in a tree data structure, exactly once, in a	
)	(3) In tree node has no children	
0.5(B)	Define a binary tree and mention two properties of binary trees	2
Q.5(D)	Describe the implementation of in-order pre-order and post-order traversals of	5
Q.3 (C)	abinary tree. Write an algorithm for any one of the traversals. OR	5
Q.5 (A)	Fill in the blanks:	3
-		

(1) In-order traversal of a binary tree first visits the _____ child, then the root,

	 and finally the child. (2) Pre-order traversal of a binary tree first visits the root, then the and finally the child. (3) Post-order traversal of a binary tree first visits the child, the child, and finally the root. 		child,	
Q.5 (B)	Explain the concept of graph traversal. Differentiate between depth-first search(DFS) and breadth-first search (BFS).	st	2	
JAM010156525	Briefly explain the concept of a minimal spanning tree in a graph.	JAM010156524	5	
JAM010156524	JAM010156524	JAM010156524		
JAM010156524	JAM010156524	JAM010156524		